

Every sauna door bearing Tylö's name is of the highest quality and is specially manufactured to withstand the considerable temperature differences between the outside and the inside of the sauna, without warping or becoming deformed. All doors are supplied with reliable magnetic door catches and can be hung to open either left or right.

If you want a sauna door with different dimensions or made from different materials, please request a quote.





## Sauna door DGL

Tylö's DGL sauna doors are a range of more exclusive sauna doors. DGL sauna doors have a door leaf made of tempered 8 mm safety glass, and are available in either tinted or clear glass. The solid aspen frame has a magnetic strip closing, while the actual door has sturdy hinges with a chromed appearance, concealed beneath a decorative, stainless steel housing. DGL 10x21 is also available for disabled access.

Tinted glass, 7 x 19	Clear glass, 7 x 21	Tinted glass, 8 x 21
Art. no. 9103 1700	Art. no. 9103 1745	Art. no. 9103 1750
Clear glass, 7 x 19	Tinted glass, 8 x 19	Clear glass, 8 x 21
Art. no. 9103 1705	Art. no. 9103 1710	Art. no. 9103 1755
Tinted glass, 7 x 20	Clear glass, 8 x 19	Tinted glass, 10 x 21
Art. no. 9103 1720	Art. no. 9103 1715	Art. no. 9103 1770
Clear glass, 7 x 20	Tinted glass, 8 x 20	Clear glass, 10 x 21
Art. no. 9103 1725	Art. no. 9103 1730	Art. no. 9103 1775
Tinted glass, 7 x 21 Art. no. 9103 1740	Clear glass, 8 x 20 Art. no. 9103 1735	

# Sauna door DGB

Tylö's DGB sauna doors are a range of simple yet robust sauna doors at a favourable price. DGB sauna doors have a door leaf made of tempered 8 mm safety glass, and are supplied in either tinted or clear glass. The finger-jointed standard frame (92 mm) is made of pine with a silicone sealing strip. The door handle is made of aspen, with magnetic lock closing.

Tinted glass, 7 x 19 Art. no. 9103 1500	Clear glass, 7 x 21 Art. no. 9103 1545	Tinted glass, 8 x 21 Art. no. 9103 1550
Clear glass, 7 x 19 Art. no. 9103 1505	Tinted glass, 8 x 19 Art. no. 9103 1510	Clear glass, 8 x 21 Art. no. 9103 1555
Tinted glass, 7 x 20 Art. no. 9103 1520	Clear glass, 8 x 19 Art. no. 9103 1515	
Clear glass, 7 x 20 Art. no. 9103 1525	Tinted glass, 8 x 20 Art. no. 9103 1530	
Tinted glass, 7 x 21 Art. no. 9103 1540	Clear glass, 8 x 20 Art. no. 9103 1535	



## DGM sauna door

Tinted, tempered safety glass door with spruce frame. Sturdy aluminium hinges concealed beneath a decorative, stainless steel housing. Supplied with silicone sealing strip. Specially designed for wheelchair access without a threshold (threshold available as an accessory) and with an extra wide opening. Fitted with a stainless steel door edge guard.

DGM-63-190

Outer frame dimensions  $1850 \times 622 \times 68 \text{ mm}$ , width of opening  $1738 \times 510 \text{ mm}$ .

Spruce, tinted glass Art. no. 9103 1060 Aspen, tinted glass Art. no. 9103 1050 DGM-72-190

Outer frame dimensions  $1850 \times 710 \times 68$  mm, width of opening  $1738 \times 598$  mm.

Spruce, tinted glass Art. no. 9103 1020 Aspen, tinted glass Art. no. 9103 1000 Alder, tinted glass Art. no. 9103 1010









1. DGP 190 Alder / Aspen

Exclusive sauna door made of 6 mm tinted, tempered safety glass. The elegant handle runs the entire height of the door, inside and out. Door closing with magnetic strip.

### 2. DGR 190 Alder

An extremely exclusive sauna

door. The door is made of curved 6 mm tinted, tempered safety glass. Longitudinal handles inside and out. Magnetic strip closing.

### 3. DWG/DWB

DWG is a classic model with a large window made of clear, tempered safety glass. Clad

inside and out with beautiful spruce or aspen panels. The DWB is the same model without glass.

#### 4. Alu Line sauna door

The stylish glass door has an aluminium frame, elegant handle and magnetic sealing strip. The strips and handle

on the inside of the door are made of alder. The door can be fitted to open on the left or right hand side. Matches Tylö's 60 G steam door in the same design.

DGP 190 Alder/Aspen

Outer frame dimensions 1850 x 710 x 68 mm (1900 with 50 mm insertion) width of opening 1738 x 598 mm.

DGP 190 Alder

Art. no. 9103 2045

DGP 190 Aspen Art. no. 9103 2050 DGR 190 Alder

Outer frame dimensions 1900 x 786 x 71 mm, width of opening 1788 x 618 mm.

DGR 190 Alder Art. no. 9103 2035 DWG/DWB

Outer frame dimensions 1890 x 690 mm, width of opening 1850 x 595 mm

DWG 7x19 ASPEN DWB 7x19 ASPEN Alu Line sauna door

Art. no. 9511 3110 DWG 7x19

SPRUCE Art. no. 9511 3115 Art. no. 9511 3125

Alu Line sauna door

Outer frame dimensions 1870 x 778 mm. Tinted glass and aluminium profiles.

Art. no. 9511 3120 Art. no. 9103 2055 DWB 7x19 SPRUCE



### Threshold

Wooden threshold for subsequent installation. Suitable for DGB and DGL doors with door widths 7 and 8. Available in spruce and aspen. Size: 30 x 92 mm.

Threshold DGB 7 spruce Art. no. 9103 1560

Threshold DGL 7 aspen Art. no. 9103 1561

Threshold DGB 8 spruce Art. no. 9103 1565

Threshold DGL 8 aspen Art. no. 9103 1566



Shutting device, wood


For controlled closure of your wooden door. The perfect complement to the door-closer below.

Art. no. 9030 1000

Shutting device for alass doors

For controlled closure of glass doors. Can be combined with a door-closer for best results

Art. no. 9030 1010



Fits on the hinge side of the door. Closes from a fully open position. For controlled closure, add the hydraulic shutting device described below.

Art. no. 9030 1030



## Glazed sections

By opening up the sauna with a glazed section, you let in more light, increase the space and enhance the sense of well-being. You have contact with the room outside and make your relaxation area a unified space. And as we make the glazed sections ourselves here at Tylö, they all satisfy the stringent safety and feature requirements.





1. Glazed section Evolve 9 Clear, tempered 8 mm safety glass in a sturdy wooden frame. Types H/v and L/v come with a wall mounting plate and have ventilation holes in the glass.

Dimensions: Type H=1866x762x92 mm (hxwxd). Type L=1781x762x92 mm (hxwxd).

2. Glazed section Evolve 6 Clear, tempered 8 mm safety glass in a sturdy wooden frame. Ventilation holes and mounting plate for fixing the heater to a wall.

Dimensions: Type H= 1866x506x92 mm (hxwxd). Type L=1781x506x92 mm (hxwxd).

3. Glazed section 52 Prefabricated glazed sections made of 6 mm, tinted, tempered safety glass with solid frames of slightly darker alder.

Dimensions: 1900 x 520 mm (hxw).

4. Glazed section 52 VENT Prefabricated glazed sections made of 6 mm, tinted, tempered safety glass with solid frames of slightly darker alder. Plus ventilation holes and mounting plate for fixing the heater to a wall.

Dimensions: 1900 x 530 mm (hxw).

1.	Glazed section	
	Spruce 9L	
	Art. no. 9511 3800	
	Glazed section	
	Spruce 9L/v	
	Art. no. 9511 3805	
	Glazed section	
	Spruce 9H	
	Art. no. 9511 3810	
	Glazed section	
	Spruce 9H/v	
	Art no 0511 3915	

Glazed section Aspen 9L Art. no. 9511 3802 Glazed section Aspen 9L/v Art. no. 9511 3807 Glazed section Aspen 9H Art. no. 9511 3812 Glazed section Aspen 9H/v Art. no. 9511 3815 Art. no. 9511 3817

- 2. Glazed section Spruce 6L Art. no. 9511 3820 Glazed section Spruce 6L/v Art. no. 9511 3825 Glazed section Spruce 6H Glazed section Spruce 6H/v Art. no. 9511 3835 Art. no. 9511 3837
  - Glazed section Aspen 6L Art. no. 9511 3822 Glazed section Aspen 6L/v Art. no. 9511 3827 Glazed section Aspen 6H Art. no. 9511 3830 Art. no. 9511 3832 Glazed section Aspen 6H/v
- 3. Glazed section 52 Alder Art. no. 9103 5040
- 4. Glazed section 52 Vent Alder Art. no. 9103 5030 Glazed section 95 Vent Alder Vision Art. no. 9103 5050 Glazed section 953 Alder Vision Art. no. 9103 5060